


Agenda

- Welcome and Introductions
- Local Spotlight
- June meeting: recap, questions
- Watershed Resource Inventory: update
- Problem Statement and Goals updated
- Nonpoint Source Pollution Control BMP Projects
- Call for LSC Watershed Photos
- Next Meeting: Thursday, Oct.5, 1:00 p.m.
- Activities, News, Announcements



Watershed Planning Steps



From Handbook for Developing Watershed Plans to Restore and Protect our Waters (USEPA, 2005)

Watershed planning is an iterative and adaptive process...



Local Spotlight

 Villa Park's Water Quality / Green Infrastructure Projects






Jeremie Lukowicz August 10, 2017

Background

- Incorporated in 1915
- 17 miles from downtown
- Population around 22,000
- Over 98% developed
- Ovaltine
- 4 Railroads
 - Prairie Path
 - Great Western Trail





Prior Improvements

- DuPage County Stormwater Ordinance
 - Adopted in 1991
- Police Station
 - Built in 2004
 - Green Roof
 - Bioswales
- Village Vehicles
 - Old Police vehicles
 - New MPG friendly cars



Monterey Water Quality

- Unimproved Street
 - Poor drainage
 - New ditches
 - Still poor drainage
 - Difficult to mow
 - Native plantings
 - Amended soils

Washington Green Infrastructure Project

- What is it?
 - Combined SewerArea
 - Flooding/DrainageProblems
 - Over \$7 million to separate
 - If possible...
 - Flat
 - Conflicts

- 3 Methods
 - Grant Street
 - 546 S. Euclid
 - East & West Washington



CHRISTOPHER B. BURKE ENGINEERING LTD. 9575 West Higgins Road, Suite 600 Rosemont, Illinois 60018 (847) 823-0500

VILLAGE OF VILLA PARK


П				DSGN.		TIT	
				DWN.	MJB	- 000	
П		3		CHKD.	JMG		
П				SCALE:	1*-		
				GIS USER:			
NO.	DATE	NATURE OF REVISION	CHKD.	MODEL:	Arogis 9.2		
FILE NAME		Map Document: (NAC 0MED/040532,00259\015\8FE Exhibits\EXH 2 - Hydrologic Exhibit.mxd)					
DATE TIME		8/10/12					

WASHINGTON STREET
POTENTIAL UTILITY CONFLICT MAP

PROJ. NO	0. 1	4 0 0 9	2.000	0:	
DATE:					
SHEET	1	OF	1		
DRAWING	NO).			
EXH 2					

Grant Street

- Current
 - No storm sewer
 - Poor pavement
 - Narrow road
- Proposed
 - Permeable pavers
 - Bioswales
 - Wider street



546 S. Euclid

- Current
 - Developed
 - Recurring flooding problems
- Proposed
 - Property buyout
 - Retention basin
 - Regrade to drain neighbors



East & West Washington

- Current
 - Flooding or drainage issues
- Proposed
 - Bioswales
 - Utility conflicts






Thank You


Watershed Resource Inventory: updates



Salt Creek Restoration Project Update: The Preserve at Oak Meadows


Deanna Doohaluk – The Conservation Foundation / DuPage River Salt Creek Workgroup






Salt Creek (8/2/2007) Mainstem

Comparisons of Observed and Predicted Dissolved Oxygen: 2007 Calibration Run



QHEI in Salt Creek










Stone Substrate





Large Wood

Backwater Habitat











The Dam Post-Construction



The Island Pre-Construction











Pollutant Load Modeling



STEPL

- Spreadsheet Tool for Estimating Pollutant Loads
- EPA provided tool to model pollutants from different land uses and streambank erosion
- · Compiled on a watershed/ subwatershed scale
- Also estimates potential reductions
- · Limited to N, P, TSS, and BOD









LSC Land Use

Land Use Category	Area (acres)	Area (sq. miles)	Percent of Planning Area
Residential	24,492.4	38.27	38.01
Commercial	4,527.3	7.07	7.03
Institutional	3,736.3	5.84	5.80
Industrial	4,919.1	7.69	7.63
Open Space	9,937.1	15.53	15.42
Agriculture	29.5	0.05	0.05
T/C/U	15,379.8	24.03	23.87
Vacant	1,366.2	2.13	2.12
Under Construction	14.5	0.02	0.02
Unclassifiable/other	12.4	0.02	0.02
Water	18.3	0.03	0.03
Totals	64,432.9	100.7	100






Average Annual **Total Nitrogen, Total Phosphorus,** & **BOD** Load (lb/yr) by Subwatershed




Average Annual
Total Nitrogen
(TN) Loading Rate
by Subwatershed

- Highest Rates:
 - Addison CreekCentral (13)
 - Addison CreekSouth (14)




Average Annual
Total Phosphorus
(TP) Loading Rate
by Subwatershed

- Highest Rates:
 - Addison CreekCentral (13)
 - Addison CreekSouth (14)




Average Annual
Biological Oxygen
Demand (BOD)
Loading Rate by
Subwatershed

- Highest Rates:
 - Addison CreekCentral (13)




Average Annual **Sediment** Load (tons/yr) by Subwatershed



Average Annual
Sediment Loading
Rate by
Subwatershed

- Highest Rates:
 - SW#13: AddisonCreek Central
 - SW#14: AddisonCreek South
 - SW#5: Devon AveTributary



Land Use Category	Salt Creek North	Salt Creek Central	Salt Creek South	Salt Creek Southeast	Devon Ave Trib.	Spring Brook Creek	Westwood Creek
Subwatershed Unit #	1	2	3	4	5	6	7
Residential	1,659	3,911	1,598	3,162	692	3,623	1,186
Commercial	183	404	625	317	256	400	223
Institutional	182	220	307	505	68	334	195
Industrial	380	480	31	114	168	903	793
Open Space	1,225	712	1,393	1,898	66	1,950	431
Agriculture	6						23
T/C/U	1,086	2,073	975	1,906	657	2,019	810
Vacant	188	108	114	85	112	210	137
Under Construction		1	4	0	0	4	1
Unclassifiable/other	0	0		0	0	0	
Water	1	0		7		0	
Totals	4,911	7,911	5,046	7,995	2,020	9,443	3,798
Land Use Category	Sugar Creek	Oak Brook Tributary	Ginger Creek	Bronswood Tributary	Addison Creek North	Addison Creek Central	Addison Creek South
Land Use Category Subwatershed Unit #	Sugar Creek 8		Ginger Creek 10			Creek	
		Tributary		Tributary	Creek North	Creek Central 13	Creek South
Subwatershed Unit # Residential Commercial	8 1,357 214	9 221 291	10 1,570 585	11 862 271	12 1,072	Creek Central 13 2 2,458 7 454	14 1,121 238
Subwatershed Unit # Residential Commercial Institutional	8 1,357 214 279	Tributary 9 221	10 1,570	11 862 271 100	12 1,072 67 148	Creek Central 13 2 2,458 7 454 8 540	14 1,121 238 730
Subwatershed Unit # Residential Commercial Institutional Industrial	8 1,357 214 279 26	9 221 291 15	10 1,570 585 111	11 862 271 100 58	12 1,072 67 148 257	Creek Central 13 2 2,458 7 454 8 540 7 1,205	14 1,121 238 730 503
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space	8 1,357 214 279	9 221 291	10 1,570 585	11 862 271 100	12 1,072 67 148 257 810	Creek Central 13 2 2,458 7 454 8 540 7 1,205 0 299	14 1,121 238 730
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space Agriculture	8 1,357 214 279 26 204	9 221 291 15 21	10 1,570 585 111 462	11 862 271 100 58 396	12 1,072 67 148 257 810	Creek Central 13 2 2,458 7 454 8 540 7 1,205 0 299	14 1,121 238 730 503 70
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space Agriculture T/C/U	8 1,357 214 279 26 204 472	9 221 291 15 21 116	10 1,570 585 111 462 660	11 862 271 100 58 396	12 1,072 67 148 257 810	Creek Central 13 2 2,458 7 454 8 540 7 1,205 0 299 1 5 2,675	Creek South 14 1,121 238 730 503 70
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space Agriculture T/C/U Vacant	8 1,357 214 279 26 204 472 56	9 221 291 15 21	10 1,570 585 111 462 660 44	11 862 271 100 58 396 319 82	12 1,072 67 148 257 810	Creek Central 13 2 2,458 7 454 8 540 7 1,205 0 299 1 5 2,675 0 55	Creek South 14 1,121 238 730 503 70 997 19
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space Agriculture T/C/U Vacant Under Construction	8 1,357 214 279 26 204 472	9 221 291 15 21 116 98	10 1,570 585 111 462 660 44 1	11 862 271 100 58 396	12 1,072 67 148 257 810 616 59	Creek Central 13 2 2,458 7 454 8 540 7 1,205 9 299 1 5 2,675 9 55	Creek South 14 1,121 238 730 503 70 997 19 1
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space Agriculture T/C/U Vacant Under Construction Unclassifiable/other	8 1,357 214 279 26 204 472 56	9 221 291 15 21 116 98	10 1,570 585 111 462 660 44	11 862 271 100 58 396 319 82	12 1,072 67 148 257 810 616	Creek Central 13 2 2,458 7 454 8 540 7 1,205 9 299 1 5 2,675 9 55 1 7	Creek South 14 1,121 238 730 503 70 997 19 1 3
Subwatershed Unit # Residential Commercial Institutional Industrial Open Space Agriculture T/C/U Vacant Under Construction	8 1,357 214 279 26 204 472 56	9 221 291 15 21 116 98	10 1,570 585 111 462 660 44 1	11 862 271 100 58 396 319 82	12 1,072 67 148 257 810 616 59	Creek Central 13 2 2,458 7 454 8 540 7 1,205 9 299 1 55 1 7 1 7	Creek South 14 1,121 238 730 503 70 997 19 1

Problem Statement and Goals, *updated*



Draft LSC Problem Statement

 Surface waterbodies are impacted by a variety of nonpoint sources of pollution. Within the Lower Salt Creek Watershed Planning Area, data indicates that Salt, Addison, Spring Brook, and Meacham Creeks and Swan Lake fail to meet certain water quality standards and thus do not attain all of their designated uses due to known and unknown causes of pollution that are often related to land use. Best management practices, programs, and policies must be identified and implemented by landowners and managers as resources allow to improve water quality and to restore designated use attainment. A plan will be completed that outlines protective actions to address nonpoint source pollution and guide remedial activities during the following ten years.

Draft Goals – revised



Ecological Integrity of the System

 Improve and protect the ecological integrity of surface water resources to attain or maintain designated uses of aquatic life support, fish consumption, primary contact, and aesthetic quality.

• Protect, restore, and expand [natural areas] [open space] and increase native [aquatic] species diversity [both terrestrial and aquatic plants and animals].

Management Objective:

 Maintain high quality riparian ecosystems by improving degraded and marginal areas



Draft Goals – revised



 Reduce flooding and attendant bank erosion and infrastructure risk through initiatives to improve and protect water quality.

Management objectives:

- Establish landowner incentives (e.g., cost-share program) to establish and maintain riparian buffers
- Adopt a watershed-wide green infrastructure plan
- Encourage construction of green infrastructure BMPs at community [neighborhood] and site scales
- Continue to build, strengthen, and support local partnerships and expertise to protect our streams and lakes via plan implementation.



Draft Goals – revised



 Continue to raise public awareness and increase understanding of the impacts of land use and land/water management decisions on water and habitat quality, and further encourage implementation of watershed protection practices.

• Others...?



Next Steps



Refinements to statement, goals

- Under each goal:
 - Management objectives / strategies / actionable items
 - Indicators / criteria for measuring progress






Potential Nonpoint Source Pollution Control BMP Projects

for inclusion in the Lower Salt Creek
Watershed-based Plan




BMPs Identified

- Participants: 22
- BMPs Identified:
 - A Opportunities: 112
 - Underway: 11
 - Completed: 30



BMPs Identified

BMPs Identified by Municipality						
Municipality		Opportunity	Underway			
Addison		9	1			
Brookfield		9				
Elmhurst		1				
Itasca		8	1			
La Grange Park		8				
Lombard			1			
Lyons		3				
Northlake		1	1			
Oak Brook		10				
Villa Park		14	6			
Westchester		8				
Westmont		6	1			
	Total	77	11			



- Critical Area Planting
- Dam Modification or Removal
- Dredging
- **Education Outreach Campaign**
- Porous and Permeable Pavement
- Channel/Shoreline/Streambank Improvements
- Unspecified
- Wetland Restoration











Online submittals via BMP Identification Survey




Online submittals via BMP Identification Survey






Online submittals via BMP Identification Survey



Lower Salt Creek BMP Identification Survey

Access via button on LSC page on CMAP website:

http://www.cmap.illinois.gov/programsand-resources/lta/lower-salt-creek



or

https://LowerSaltCreek-BMPsurvey.metroguest.com


Planning & Policy recommendations

Tools for Protecting Watersheds



Plan and Ordinance Review

- Review of existing plans and ordinances in watershed
- County and municipal level
- Identify gaps and opportunities
- Create recommendations for future plans and ordinances



CMAP Review of Plans

- Comprehensive Plans
- Open Space Plans
- Green Infrastructure Plans
- Greenways and Trails Plans
- Bike/Active Transportation Plans
- Natural Resource Management Plans







Comprehensive Plan Review

for comprehensive plan assessment, created checklist bases on U.S. EPA's Water Quality Scorecard*

- Natural Resources identifying & mapping resource areas
- Water Resources identifying, mapping, & protecting
- Open Space for preservation & stormwater management
- Trees preservation & planting
- Development and Land Use compact development, infill, design
- Transportation/Parking Alternative modes & imperviousness

Comprehensive Plan Findings

- Most municipalities have a comprehensive plan
- Neither county has a comprehensive plan
- Several comprehensive plans require an update (>10 yrs old)

Natural Resources:

Most identify critical natural resource areas and call for their preservation

Water Resources:

- ~50/50 on having WQ protection element, with goals for waterbodies and wetlands
- None address GW protection measures

Open Space:

Majority identify open space, but less than half recognize its role in sustainable SW management

Comprehensive Plan Findings cont.

Trees:

- Most don't incl. tree preservation & replacement as community goals

Development:

- Most do not ID potential brownfield and grayfield sites and support their redevelopment
- Most do allow or encourage mixed-use and transit-oriented development and identify appropriate areas

Transportation/Parking:

- Most emphasize alternative modes of transportation, and recommend improvements to walking/biking conditions
- Most do not include or recommend a formal bike/ped plan
- Few promote GI practices in street design

Comprehensive Plan Findings cont.

Some Highlights ... Can serve as examples for other comprehensive and local plans:

- Emphasize infill development & redevelopment to help limit development in new areas: Addison, Berkeley, Downers Grove, Franklin Park, Maywood, Northlake, Schaumburg, Westchester
- Emphasize sustainable development using natural resource management/best practices lens: Downers Grove, Elmhurst, Franklin Park, Itasca, Lombard, Northlake, Melrose Park, Schaumburg, Westchester, Westmont
- Promote the use of green infrastructure: Addison, Bensenville,
 Berkeley, Bloomingdale, Brookfield, Downers Grove, Elmhurst,
 Franklin Park, Lyons, Maywood, Melrose Park, Roselle,
 Westchester, Westmont

Planning Recommendations


- Develop Comprehensive Plan: 5 munis and both counties
- Update older Comprehensive Plans: 11 munis
- Update or amend Comprehensive Plans to include recommendations for/to:
 - Natural resource management: Bellwood, Bloomingdale, Broadview, Brookfield, LaGrange Park, Oakbrook Terrace
 - Transit-oriented development: Bloomingdale, LaGrange Park
 - Walking and biking as alt. transportation modes: Broadview
 - Groundwater protection: all munis
- Develop stormwater management plan: DuPage Co.
- Develop natural resources management plan: FPD of DuPage Co.

Local Review of Development Rules

Ordinances, Codes, Guidelines...


- Stormwater Ordinances
- Zoning Ordinances
- Subdivision Ordinances
- Parking Ordinances
- Landscaping Ordinances
- Water Conservation Ordinances
- Others ...
 - Housing Infill, Health & Safety, Environment ...





Ordinance Questionairre

- Stormwater Drainage & Detention
- Soil Erosion & Sediment Control
- Floodplain Management
- Stream & Wetland Protection
- Natural Areas & Open Space
- Conservation Design & Infill
- Landscaping
- Transportation & Parking
- Water Efficiency & Conservation
- Pollution Prevention



Ordinance Questionairre

Lower Salt Creek Watershed Planning								
Name of County or Municipality:			Contact information of respondents (names, phone 8s, emails):					
Ordinance Questionairre								
Dees the ordinance								
Stormwater Drainage & Detention	Code and standard category	Checklist question	Yes/No or Mostly/Minimally Addressed	Code section	Current standard text (optional)	Notes		
1	Purpose	Include control of runoff rate, volumes, and quality in the purpose statement?						
2	Minimize stormwater quantity	incourage the use of permeable paving, greencods, and similar practices that reduce the quantity of runoff that must be handled with innovative or conventional disrange practices?						
3	Natural drainage practices	Encourage/require the use of natural drainage practices (e.g., sweles, filter strips, bio-infiltration devices, and natural degressions over storm sewers) to minimize runoff volumes and enhance pollutant filtering?						
4	Detention credits	Provide detention credit for practices, such as permeable paving or bio-infiltration, that provide temporary storage of runoff in the sub-ourface wold spaces of stone or growel?						
5	Peak discharge	Require that peak post-development discharge from events less than or equal to the two-year, 24-hour event be limited to 0.04 cfs per acre of watershed?						
6	Detention design	Require detention design standards that maximize water quality miligation benefits, with a requirement for "naturalized" wet bottom and/or wettand basins over dry basins?						
7	Water quality performance standards	Require conformance to numerical water quality performance standards (such as percent removal of sediment or phosphorus)?						
8	Floodway and stream detention restrictions	Prohibit detection in the floodway and on-stream detection, unless it provides a regional stormwater storage brandf (i.e., for upstream properties and/or multiple sites) and is accompanied by other upstream water quality MMFs, such as the infiltration?						
9	Stormwater discharge	Prohibit the direct discharge of undetained stormwater into wetlands?						
10	Maintenance	Require formal maintenance plans and contracts for the long-term maintenance and vegetative management of all new detention facilities?						
Soil Erosion & Sediment Control	Code and standard category	Checklist question	Yes/No or Mostly/Minimally Addressed	Code section	Current standard text (optional)	Notes		
1	Limiting sediment delivery	include a comprehensive purpose statement which limit sealment delivery, as close as practicable, to pre- disturbance levels and minimizes effects on water quality, flooding, and nursance?						
2	Minimize cerliment transport	Include a comprehensive set of principles that minimize sediment transport from the site for all storms up to the non-year frequency event? These principles should include provisions to minimize the area disturbed and the term of scholance, (till principles in the control of						
3	Ordinance applicability - size	Require ordinance applicability for any land disturbing activity in excess of 5,000 square feet?						

Public Information & Education component

Information/Education/Outreach activities should support each of the watershed management goals

- Target audiences?
- Message delivery formats?
- Existing programs?
- New ideas?



Next Steps with Watershed Protection Measures

- Site-specific BMPs: online survey next cut off Sept. 1
 - Pollutant load reduction estimates (TP, TN, TSS, BOD)
 - Cost estimates
- Ordinance Questionairre
- I & E component



Call for Photos



See handout...

- within LSC Watershed planning area
- variety of subject areas
- JPG format accompanied by information for each photo:
 - Subject
 - Location
 - Year and Month photo taken
 - Photographer's name/affiliation

Next Meetings

Thursdays, 1:00 p.m. - Please offer to host!

Aug. 10

BMPs submitted, Planning & Policy recommendations,
 Information & Education component

Oct. 5

- Implementation Schedule
- Interim Measurable Milestones
- Criteria for Determining Success
- Monitoring component

Dec. 7

Final draft plan review



Local Watershed Activities, News, Announcements



photo by Renee Kohl, Villa Park June 2017 Photo Contest Winner http://www.invillapark.com/



